

Battle Creek Historic District Commission

Staff Report

Meeting: June 10, 20

To: Historic District Commission


From: Glenn Perian, Senior Planner

Date: June 4, 2013

Subject: The petition filed by Patriot Restoration LLC, on behalf of Arnold and Alec Rogers, for the issuance of a Determination of Appropriateness to repair a fire damage structure with a new roof and new windows at 125 Oaklawn Avenue

Site:

The property is located in the Local Old Advent Town Historic District.



Summary of Request

The proposed project includes the repair of a fire damaged home including new roofin material and windows at 125 Oaklawn Avenue. The applicant is requesting the HDC for the issuance of a Certificate of Appropriateness to install a CertainTeed Landmark serior weathered wood colored architectural shingle and Anderson Woodright series wood window in the same style of window that previously existed on the house. An itemized list of the windows and a brochure sample of the shingles has been provided and the applicant expected to be at the meeting to answer any questions you may have about the project.

Public Notice Requirements:

Public notice has occurred as outlined under MCL Section 399.205 Section 5 (6)..." business that the commission may perform shall be conducted at a public meeting of a commission held in compliance with the open meetings act, Act No. 267 of the Public Acts 1976, as amended, being sections 15.261 of 15.275 of the Michigan Compiled Laws. Public notice of the time, date, and place of the meeting shall be given in the manner required Act No. 267 of the Public Acts of 1976, as amended.

Applicable HDC Guidelines and Analysis for a Certificate of Appropriateness to instance windows and shingles at the residence located at 125 Oaklawn Avenue.

This property is reviewed in accordance with City of Battle Creek Building and Housing Co-Chapter 1470 "Historic Preservation", as amended, the Michigan's Local Historic Districts A as amended, and the criteria for the National Register of Historic Places as outlined in Secretary of the Interior's Standards and Guidelines.

Specifically, the Commission shall follow Section 1470.09, as:

- (b) The Commission shall also consider all of the following:
 - (1) The historic or architectural value and significance of the resource and it relationship to the historic value of the surrounding area.
 - (2) The relationship of any architectural features of the resource to the rest the resource and the surrounding area.
 - (3) The general compatibility of the design, arrangement, texture, and materials proposed to be used.
 - (4) Other factors, such as aesthetic value that the Commission finds relevant
 - (c) The Historic District Commission shall review and act upon only exterior features of a resource and shall not review and act upon interior arrangements...

And

1470.17 PRESERVATION OF HISTORIC FEATURES.

(a) Every reasonable effort shall be made to provide a compatible use for a resource which requires minimal alteration of the building, structure or site and its environment, or to use the resource for its originally intended purpose. This project includes the repair to a fire damaged home. The portion of the project requiring HDC approval includes the new windows and roof. The intent is to repair the fire damaged home so the family can move back into the home and the proposed work will be of compatible style to what existed on the home before the fire damage.

- (b) The distinguishing original qualities or character of a resource an its environment shall not be destroyed. The removal or alteration any historic material or distinctive architectural features shall be avoided when possible. The proposed windows are to be of the same style of the old and the shingles are architectural in style.
- (c) All resources shall be recognized as products of their own time.

 Alterations that have no historic basis and which seek to create as earlier appearance shall be discouraged. No materials are being proposed that will create an earlier appearance.
- (d) Changes which may have taken place in the course of time are evidence of the history and development of a resource and its environment. These changes may have acquired significance in their own right, and this significance shall be recognized and respected. The only proposed changes to the exterior of the structure are the windows and roof.
- (e) Distinctive stylistic features or examples of skilled craftsmanship which characterize a resource shall be treated with sensitivity. The requirement is not relevant.
- (f) Deteriorated architectural features shall be repaired rather than replaced wherever possible. In the event replacement is necessary the new material should match the material being replaced in composition, design, color, texture and other visual qualities. Repair or replacement of missing architectural features should be based on accurate duplications of features, substantiated by historic, physical or pictorial evidence rather than on conjectural designs or the availability of different architectural elements from other resources. The proposed windows are to match in appearance and the applicant has stated that the old style shingles are not available for this project.
 - (g) The surface cleaning of resources shall be undertaken with the gentlest means possible. Sandblasting and other cleaning method that will damage the historic materials shall not be undertaken. The does not apply to this project.
- (h) Every reasonable effort shall be made to protect and preserve archaeological resources affected by or adjacent to any project. Staff does not think this applies to this project.
 - (i) Contemporary design for alterations and additions to existing resources shall not be discouraged when such alterations and additions do not destroy significant historic, architectural or cultural material and when such design is compatible with the size

scale, color, material and character of the property, neighborhood or environment. Staff believes that the proposed work will meet this requirement for the project.


(j) Whenever possible, new additions or alterations to resources shall be done in such a manner that if such additions or alteration were to be removed in the future, the essential form and integrity the resource would not be unimpaired. This requirement does not apply to this project.

(Ord. 14-97. Passed 8-5-97.)

Recommendation:

The proposed work is for repair to the fire damaged home at 125 Oaklawn Avenue and the proposed work does not appear as though it will impact the historical or architectural value the surrounding area. Furthermore, the work is in compliance with the existing zone ordinance for the zoning district of the properties. As contained herein, staff is not aware any issues that the Commission might find in conflict with Chapter 1470 "Historic Preservation", the Michigan Local Historic Districts Act or the Secretary of the Interior Standards and Guidelines.

Therefore, planning staff recommends approval of a certificate of appropriateness to the proposed window and roof replacement included in the plan submitted, as the request meets the standards outlined in Chapter 1470.09 "Review of Applications Chapter 1470.17 "Preservation of Historic Features" and the Secretary of the Interior Standards and Guidelines, as outlined in the staff report.





City of Battle Creek

Department of Planning and Community Development

77 E. Michigan Avenue, Ste. 204 • Battle Creek, Michigan 49017 • (269) 966-3320

HISTORIC DISTRICT COMMISSION Application for (check all that applies) Certificate of Appropriateness (for repairs or rehab projects) Notice to Proceed (for demolition requests) Petition No. Date Received: **APPLICANT**** NAME: Patriot Restoration, UC

ADDRESS: 155 Factory RD, Michigan Center, MI 49054

PHONE: 877-791-7477 FAX: 877-791-949 OWNER (if different from applicant) NAME: Arnold and Alexa Rogers ADDRESS: 125 Eaklawn Are, Battle Creek, mJ

PHONE: 269-274-0581

FAX: EMAIL: **If the applicant is not the property owner, a letter signed by the owner agreeing to the application to the Historic District Commission must be included with the application. **SUBMITTAL REQUIREMENTS/EXISTING CONDITIONS** Address(es) of property for which the request is being sought: 125 Oaklawn Battle Creek MT Current use of the property: Family Rosidence List existing structures on the property and the approximate age of each. Please list all activities/proposed work for the property area and how the proposed work relates to the building as a whole, Separring fire damage to house including Roofing and

City of Battle Creek Department of Planning and Community Development 77 E. Michigan Avenue, Ste. 204 • Battle Creek, Michigan 49017 • (269) 966-3320

features outlined in the	nis application.	It in changes to the size and/or appearance of the
Existing show	agles no longeravaile	ble, windows will be wood Anders
400 SECLES 1	It save dinersies	7
Does the work proportion create new features t	osed include maintenance/repa hat do not currently exist?	ir of existing features of the structure, or will it
Mandemace a	-d repair	
	·	
Please indicate the e	existing building materials of the re is included as part of the applications.	e following structural features and the proposed cation.
	Existing Materials	Proposed Materials (if applicable)
Roof	Tolok shingles	the second second
Windows	Wood was forse	Certanteel Landmark series Cele Anderen Woodright series
Siding	poor work and	(same Style)
Foundation		
Other		
For Notice To Proceed	d requests only:	
What options have yo	u explored for the repair or relo	cation of the structure proposed for demolition?
SUBMITTAL REQUIRE	MENTS	
thoroughly describe t	he existing structure and propos	each request requires supplementary items that sed project. These items are to be submitted with will not be forwarded to the Historic District
APPLICANT SIGNATUR	RE	
best of their knowled review has been subr	lge, and confirms that all infor mitted. Furthermore, the applica mission, Information and Proced	ares that all answers given herein are true to the mation required for Historic District Commission ant confirms that they have thoroughly read the ures" and agrees to comply with all requirements

THE SECRETARY OF THE INTERIOR'S STANDARDS FOR REHABILATION



The Secretary of the Interior's Standards for Rehabilitation are ten basic principles created to help preserve the distinctive character of a historic building and its site, while allowing for reasonable change to meet new needs.

The Standards (36 CFR Part 67) apply to historic buildings of all periods, styles, types, materials, and sizes. They apply to both the exterior and the interior of historic buildings. The Standards also encompass related landscape feature and the building's site and environment as well as attached, adjacent, or related new construction.

Rehabilitation projects must meet the following Standards, as interpreted by the national Park service, to qualify as "certified rehabilitations" eligible for the 20% rehabilitation tax credit. The Standards are applied to projects in a reasonable manner, taking into consideration economic and technical feasibility.

- 1. A property shall be used for its historic purpose or be placed in a new use that requires minimal change to the defining characteristics of the building and its site and environment.
- 2. The historic character of a property shall be retained and preserved. The removal of historic materials alteration of features and spaces that characterize a property shall be avoided.
- 3. Each property shall be recognized as a physical record of its time, place, and use. Changes that create a false sense of historical development, such as adding conjectural features or architectural elements from other buildings, shall not be undertaken.
- 4. Most properties change over time; those changes that have acquired historic significance in their own right shall be retained and preserved.
- 5. Distinctive features, finishes, and construction the techniques or examples of craftsmanship that characterize a historic property shall be preserved.
- 6. Deteriorated historic features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature shall match the old in design, color, texture, and other visual qualities and, where possible, materials. Replacement of mission feature shall be substantiated by documentary, physical, or pictorial evidence.
- 7. Chemical or physical treatments, such as sandblasting, that cause damage to historic materials shall not be used. The surface cleaning of structures, if appropriate, shall be undertaken using the gentlest means possible.
- 8. Significant archeological resources affected by a project shall be protected and preserved. If such resources must be disturbed, mitigation measure shall be undertaken.
- 9. New additions, exterior alterations, or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale, and architectural features to protect the historic integrity of the property and it environment.
- 10. New additions and adjacent or related new construction shall be undertaken in such a manner that if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

The above information was found on web site: www.cr.nps.gov/hps/tps/tax/rehabstandards



Andersen Windows - Abbreviated Quote Report

Project Name: PATRIOT



Ext. Price **Unit Price** Fax: Promotion Code: 13.0 iQ Version: Location 05/31/2013 Customer: Billing Address: Trade ID: Contact: Phone: Quote Date: Item Size (Operation) Print Date: 05/31/2013 Qty 279 Administrator Item Quote #: Sales Rep: Created By: Dealer:

0001 1 WDH 3' 6" x 5' 8 1/2" (AA) RO Size = 3' 6 1/2" W x 5' 8 1/2" H Unit Size = 3' 6" W x 5' 8 1/2" H

670.30

670.30 \$

69

Unit, Equal Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Sash)

Equal Sash, Insect Screen, White UNIT: WOULD LIKE THIS TO BE COTTAGE STYLE

Zone: Northern U-Factor: 0.29, SHGC: 0.31, ENERGY STAR® Qualified: Yes \$ 659.91 \$

659.91

\$ 629

RO Size = 3' 4 3/4" W x 5' 8 1/2" H Unit Size = 3' 4 1/4" W x 5' 8 1/2" H Unit, Equal Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Sash) Equal Sash, Insect Screen, White

WDH 3' 4 1/4" x 5' 8 1/2" (AA)

0002

Zone: Northern U-Factor: 0.29, SHGC: 0.31, ENERGY STAR® Qualified: Yes

Item Qty	Item Size (Operation)	Location	Unit Price	and the second	Ext. Price
RO Size = 3' 0 1/2" Unit, Equal Sash, V Equal Sash, Inse UNIT: WOULD L Zone: Northerr U-Factor: 0.29, SHG	0003 1 WDH 3' 0" x 5' 8 1/2" (AA) RO Size = 3' 0 1/2" W x 5' 8 1/2" H Unit Size = 3' 0" W x 5' 8 1/2" H Unit, Equal Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Sash) Equal Sash, Insect Screen, White UNIT: WOULD LIKE THIS TO BE COTTAGE STYLE Zone: Northern U-Factor: 0.29, SHGC: 0.31, ENERGY STAR® Qualified: Yes		↔	634.48 \$	634.48
0004 1 RO Size = 2' 7" W Unit, Equal Sash, V Equal Sash, Inse Zone: Northern U-Factor: 0.29, SHG	0004 1 WDH 2' 6 1/2" x 5' 8 1/2" (AA) RO Size = 2' 7" W x 5' 8 1/2" H Unit Size = 2' 6 1/2" W x 5' 8 1/2" H Unit, Equal Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Sash) Equal Sash, Insect Screen, White Zone: Northern U-Factor: 0.29, SHGC: 0.31, ENERGY STAR® Qualified: Yes		↔	600.51 \$	600.51
3 RO Size = 2' 4 3/4 Unit, Equal Sash, \ Equal Sash, Ins. Zone: Northern U-Factor: 0.29, SHC	3 WDH 2' 4 1/4" x 5' 8 1/2" (AA) RO Size = 2' 4 3/4" W x 5' 8 1/2" H Unit Size = 2' 4 1/4" W x 5' 8 1/2" H Unit, Equal Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Sash) Equal Sash, Insect Screen, White Zone: Northern U-Factor: 0.29, SHGC: 0.31, ENERGY STAR® Qualified: Yes		₩	587.31 \$	1761.93

iQ Version: 13.0

9

2 Of

Page

Print Date: 05/31/2013

Quote #: 279

	Item Qty	Item Siz	Item Size (Operation)	L	Location	Unit Price		Ext. Price
	0006 1 WDH 2' 2" x 4' C RO Size = 2' 2 1/2" W x 4' 0 1/2" H Unit, Equal Sash, White/Clear Pine, Equal Sash, Insect Screen, White Zone: Northern U-Factor: 0.29, SHGC: 0.31, ENERGY	WDH 2' 2" W x 4' 0 White/Cles sect Screer IGC: 0.31, 1	0006 1 WDH 2' 2" x 4' 0 1/2" (AA) RO Size = 2' 2 1/2" W x 4' 0 1/2" H Unit Size = 2' 2" W x 4' 0 1/2" H Unit, Equal Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Sash) Equal Sash, Insect Screen, White Zone: Northern U-Factor: 0.29, SHGC: 0.31, ENERGY STAR® Qualified: Yes	' o 1/2" H E4 Glass(Each Sash)		↔	452.50 \$	452.50
	RO Size = 4' 0" W x 1' 11" H Unit Size = Unit, White/Clear Pine, High Performance I Insect Screen, White Handle, Rotating Sash, GW, Metro Style Zone: Northern U-Factor: 0.30, SHGC: 0.29, ENERGY STAR	G42 (AP) "W x 1' 11" H tar Pine, High F n', White ating Sash, GW SHGC: 0.29, E	noo7 1 G42 (AP) RO Size = 4' 0" W x 1' 11" H Unit Size = 3' 11 1/4" W x 1' 10 1/4" H Unit, White/Clear Pine, High Performance Low-E4 Glass Insect Screen, White Handle, Rotating Sash, GW, Metro Style - White Zone: Northern U-Factor: 0.30, SHGC: 0.29, ENERGY STAR® Qualified: Yes	10 1/4" H		us.	605.09 \$	605.09
3	0008	1 WDH 1'	0008	8 1/2"-WDH 1' 11" ' 8 1/2" H 4 Top/Bottom*High Perf (ull, Mull Priority: Vertic	0008	\$ Low-E47	2006.13 \$	2006.13 ass, No

Print Date: 05/31/2013

9

3 Of

WDH 2' 10" x 4' 5 1/2" C (AA) 1/2" W x 4' 5 1/2" H Unit Size = 2' 10" W x 4' 5 1/2" H Thiele/Clean Pine, High Performance Low-E4 Tempered Glass(Each Sash) 2t Screen, White HGC: 0.30, ENERGY STAR® Qualified: Yes WDH 3' 0 1/4" x 5' 5" (AA) WDH 3' 0 1/4" x 5' 5" (AA) WDH 3' 0 1/4" x 5' 0 1/2" (AA) **W x 5' 0 1/2" H Unit Size = 2' 6 1/4" W x 5' 0 1/2" H **W W 5' 0 1/2" H Unit Size = 2' 6 1/4" W x 5' 0 1/2" H **W W 5' 0 1/2" H Unit Size = 2' 6 1/4" W x 5' 0 1/2" H **W W 5' 0 1/2" H Unit Size = 2' 6 1/4" W x 5' 0 1/2" H **W W 5' 0 1/2" H Unit Size = 2' 6 1/4" W x 5' 0 1/2" H **W W 5' 0 1/2" H Unit Size = 2' 6 1/4" W x 6' 0 1/2" H	Item Qty Item Size (Operation)	Location	Unit	Unit Price	Ext. Price
2 WDH 3' 0 1/4" x 5' 5" (AA) ize = 3' 0 3/4" W x 5' 5" H Unit Size = 3' 0 1/4" W x 5' 5" H Equal Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Sash) ual Sash, Insect Screen, White Northern 1 WDH 2' 6 1/4" x 5' 0 1/2" (AA) ize = 2' 6 3/4" W x 5' 0 1/2" H Unit Size = 2' 6 1/4" W x 5' 0 1/2" H Equal Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Sash) ual Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Sash) Northern Northern tor. 0.29, SHGC: 0.31, ENERGY STAR® Qualified: Yes	RO Size = 2' 10 1/2" W x 4' 5 1/2" C (AA) RO Size = 2' 10 1/2" W x 4' 5 1/2" H Unit Size = 2' 10" W x 4' 5 1/2" H Unit, Cottage, White/Clear Pine, High Performance Low-E4 Tempered Glass Cottage, Insect Screen, White Zone: Northern U-Factor: 0.30, SHGC: 0.30, ENERGY STAR® Qualified: Yes	Each Sash)	v s	692.74 \$	692.74
1 WDH 2' 6 1/4" x 5' 0 1/2" (AA) ize = 2' 6 3/4" W x 5' 0 1/2" H Unit Size = 2' 6 1/4" W x 5' 0 1/2" H Equal Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Sash) ual Sash, Insect Screen, White Northern tor. 0.29, SHGC: 0.31, ENERGY STAR® Qualified: Yes	80 Size = 3' 0 3/4" W x 5' 5" (AA) RO Size = 3' 0 3/4" W x 5' 5" H Unit Size = 3' 0 1/4" W x 5' 5" H Unit, Equal Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Equal Sash, Insect Screen, White Zone: Northern U-Factor: 0.29, SHGC: 0.31, ENERGY STAR® Qualified: Yes	ash)	↔	614.68 \$	1229.36
	0011 1 WDH 2' 6 1/4" x 5' 0 1/2" (AA) RO Size = 2' 6 3/4" W x 5' 0 1/2" H Unit Size = 2' 6 1/4" W x 5' 0 1/2" H Unit, Equal Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Equal Sash, Insect Screen, White Zone: Northern U-Factor: 0.29, SHGC: 0.31, ENERGY STAR® Qualified: Yes	ash)	₩	550.62 \$	550.62

4000	Item Qty Item Size (Operation)	Unit Price		Ext. Price
	0012 1 WDH 2' 1 1/2" x 4' 0" (AA) RO Size = 2' 2" W x 4' 0" H Unit Size = 2' 1 1/2" W x 4' 0" H Unit, Equal Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Sash) Equal Sash, Insect Screen, White Zone: Northern U-Factor: 0.29, SHGC: 0.31, ENERGY STAR® Qualified: Yes	& 44	5.90 \$	445.90
	RO Size = 3' 1" W x 5' 5" H Unit Size = 3' 0 1/2" W x 5' 5" H Unit, Equal Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Sash) Equal Sash, Insect Screen, White Zone: Northern U-Factor: 0.29, SHGC: 0.31, ENERGY STAR® Qualified: Yes	&	615.65	1231.30
	0014 1 WDH 2' 5 1/2" x 4' 0" (AA) RO Size = 2' 6" W x 4' 0" H Unit Size = 2' 5 1/2" W x 4' 0" H Unit, Equal Sash, White/Clear Pine, High Performance Low-E4 Glass(Each Sash) Equal Sash, Insect Screen, White Zone: Northern U-Factor: 0.29, SHGC: 0.31, ENERGY STAR® Qualified: Yes	\$ 47	470.45 \$	470.45

9

5 Of

Page

